

CyberArk

CAU305 Exam

CyberArk Certified Delivery Engineer | Defender - Sentry (Combined)

Questions & Answers

(Demo Version - Limited Content)

Thank you for Downloading CAU305 exam PDF Demo

Get Full File:

<https://www.dumpsplanet.com/cau305-dumps/>

Product Questions: 65

Version: 4.0

Question: 1

Which type of automatic remediation can be performed by the PTA in case of a suspected credential theft security event?

- A. Password change
- B. Password reconciliation
- C. Session suspension
- D. Session termination

Answer: A

Reference: <https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PTA/Security-Configuration.htm>

Question: 2

dbparm.ini is the main configuration file for the Vault.

- A. True
- B. False

Answer: A

Reference: <https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PASREF/DBParm.ini.htm>

Question: 3

When working with the CyberArk High Availability Cluster, which services are running on the passive node?

- A. Cluster Vault Manager and PrivateArk Database
- B. Cluster Vault Manager, PrivateArk Database and Remote Control Agent
- C. Cluster Vault Manager
- D. Cluster Vault Manager and Remote Control Agent

Answer: C

Reference: <https://docs.cyberark.com/ProductDoc/OnlineHelp/PAS/Latest/en/Content/PASIMP/Managing-the-CyberArk-Digital-Cluster-Vault-Server.htm>

Question: 4

When a DR Vault Server becomes an active vault, it will automatically revert back to DR mode once the Primary Vault comes back online.

- A. True, this is the default behavior.
- B. False, the Vault administrator must manually set the DR Vault to DR mode by setting "FailoverMode=no" in the padr.ini file.
- C. True, if the AllowFailback setting is set to "yes" in the padr.ini file.
- D. False, the Vault administrator must manually set the DR Vault to DR mode by setting "FailoverMode=no" in the dbparm.ini file.

Answer: A

Reference: <https://docs.cyberark.com/ProductDoc/OnlineHelp/PAS/11.3/en/Content/PASIMP/Initiating-DR-Failback-to-Production-Vault.htm>

Question: 5

Which onboarding method is used to integrate CyberArk with the accounts provisioning process?

- A. Accounts Discovery
- B. Auto Detection
- C. Onboarding RestAPI functions
- D. PTA rules

Answer: B

Reference: <https://docs.cyberark.com/ProductDoc/OnlineHelp/PAS/Latest/en/Content/PASIMP/Provisioning-Accounts-Automatically.htm>

Question: 6

Which file is used to open up a non-standard firewall port to the Vault?

- A. dbparm.ini
- B. PARagent.ini
- C. passparm.ini
- D. Vault.ini

Answer: A

About dumpsplanet.com

dumpsplanet.com's free demo will give you a complete product idea. We provide latest & high quality IT / Business Certification Training Exam Questions in PDF Format.

We help you pass any IT / Business Certification Exams with 100% Pass Guaranteed. Especially Microsoft, Cisco, CompTIA, Citrix, EMC, HP, Oracle, VMware, Juniper, Check Point, LPI, Nortel, EXIN and so on.

View list of all certification exams: **All Exams**

Start Your CAU305 Preparation

<https://www.dumpsplanet.com/cau305-dumps/>

[Limited Time Offer] Use Coupon 'dp25%' for extra 25% discount on the purchase of PDF Dumps. Test your CAU305 preparation with actual CAU305 exam questions.

We prepare state-of-the art practice tests Questions for All IT certification exams. You can reach us with from Contact Us Page. Any problems about IT certification or our products, you can write us back and we will get back to you within 24 hours.