



# IBM

## C2150-630 EXAM

IBM BigFix Inventory V9.5 and License Metric Tool V9.2 Administration

Product: **Demo**

For More Information:

<https://www.dumpsplanet.com/C2150-630-dumps>

**Question: 1**

An environment consists of many Linux servers running on z Systems where manual configuration for capacity reporting is necessary.

Which action should the Administrator take?

- A. Run the IBM PVU Sub capacity report and recalculate
- B. Run the Data Import for z Systems capacity reporting
- C. Take Action on the Configure Capacity Filelet on relevant computers
- D. Take Action on the Create Capacity Configuration for Linux on z Systems Task

**Answer: C**

**Question: 2**

An Administrator is receiving messages that the status of a number of endpoints shows as "Not Reported." The Administrator can ping these endpoints successfully.

What is the cause of this problem?

- A. The endpoints are offline.
- B. The endpoint log file size has been exceeded.
- C. There are no more sockets available on a Relay.
- D. There are no more buffers available on a Root Server.

**Answer: A**

**Question: 3**

An IBM License Metric Tool Administrator is using the manual process to update the Software Catalog on all endpoints. The Administrator has already uploaded the new Software Catalog to the LMT Server, and the data import has completed successfully.

What is the next step the Administrator needs to perform?

- A. Execute the Task: "Software Catalog Update"
- B. Obtain the Catalog Download Fix let from the LMT Server
- C. Upload the "catalog\_download.bes" file the Big Fix Console
- D. Download and distribute the IBMSoftwareCatalog.zip file to all endpoints

**Answer: A**

**Question: 4**

An Administrator is planning the infrastructure to support the IBM BigFix Platform and needs to decide on the placement of the Relays. There is only one BigFix Server which also contains the database.

What are two main considerations for this to be accomplished? (Choose two.)

- A. Number of outstanding user requests
- B. Time allotted for client file downloads
- C. Number of endpoints that will be offline
- D. Number of connected clients downloading files
- E. Distance between the endpoints and the server

**Answer: D,E**

**Question: 5**

An IBM Big Fix Inventory Administrator is planning to install the BigFix Inventory application in a Linux environment. The Administrator must use all of the possible default ports. Which default ports will be used?

- A. 1433 and 52311
- B. 9081 and 52311
- C. 1433, 9081, and 52311
- D. 9081, 50000, and 52311

**Answer: B**

**Question: 6**

An Administrator is installing IBM Big Fix Inventory with more than 80,000 endpoints and has to schedule the software scan by using scan groups. The Administrator needs to determine the maximum number of endpoints in a scan group. What is the recommendation to be used?

- A. 500
- B. 1,000
- C. 10,000
- D. 20,000

**Answer: D**

**Question: 7**

An IBM Big Fix Administrator needs to analyze why Big Fix Clients are not visible in the Big Fix Console. Which message should be analyzed in Big Fix Client logs?

- A. [ERROR] Completed 500 Internal Server Error
- B. Not Relevant – Run Capacity Scan and Upload Results
- C. Register Once: Get URL failed – General transport failure
- D. IBM Big Fix could not verify the authenticity of the site content

**Answer: C**

**Question: 8**

IBM Big Fix and Big Fix Inventory are installed in a distributed environment. The Big Fix Inventory environment increases in size to a scale of 60,000 endpoints. What should be increased for the Big Fix Inventory and SQL Servers?

- A. Memory to 16-24 GB
- B. Processor cores to 8-16
- C. Network bandwidth to 10 gigabits
- D. Speed of the processor to 4-6 GHz

**Answer: A**

**Question: 9**

An IBM BigFix Administrator notices that the Console response time has increased and wants to monitor the performance of the Windows BigFix Server to investigate.

What should the Administrator do first?

- A. Launch the IBM Big Fix Diagnostics Tool
- B. Enable the debug mode for BES Relay log
- C. Activate the Server Performance Analysis
- D. Check that the Relays are working properly

**Answer: D**

**Question: 10**

An Administrator uses the following path for an IBM Big Fix Inventory new installation:

BigFix client: /opt/BES Client/

CIT Scanner: /opt/Tivoli/cit

The Administrator would like to change the installation path for the CIT Scanner.

How can this be accomplished most efficiently?

- A. Reinstall the BigFix client
- B. Modify theScanner Directory Fixlet
- C. Apply the “select the scanner directory” during Install/Upgrade Scanner
- D. Use the “select the installation directory” during Install/Upgrade Scanner

**Answer: D**

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual C2150-630 Exam Questions With Answers.

Dumps Planet also provides you extra 20% discount on the purchase of C2150-630 exam. Use Coupon code like “dp20%”

<https://www.dumpsplanet.com/C2150-630-dumps>

### Money Back Guarantee



<https://www.dumpsplanet.com/>